YOUR NO 1 TRADE SHOP
COLOREX
TRADE & HIRE

**Colorex Ltd**
7 Fitzherbert St, Petone, Wellington 5012
PO Box 38 453, Wellington Mail Centre 5045
Phone: 04 587 0400, Email: sales@colorex.co.nz
***www.colorex.co.nz***




# Festool ROTEX RO 125 Gear-Driven Eccentric Sander + Systainer

**Brand:**Festool
**Code:** C2392

$1,188.40 +GST $1,366.66 incl. GST

## Description

Festool ROTEX RO125 Gear-Driven Eccentric Sander + Systainer

The Festool ROTEX RO 125mm sander lightens the load of your tool kit while increasing the range of applications. With just one tool for an extremely high material removal rate during coarse sanding, a super-fine image when fine sanding and a perfect finish when polishing. The Rotex sander with its compact housing and soft-grip gripping surfaces more or less incidentally fits perfectly in your hand.

### Features

- A powerful motor and combination of eccentric and orbital motion removes material three times faster than conventional eccentric sanders
- Three tools in one for coarse sanding, fine sanding and polishing – just flip the switch to another setting and you’re ready to go
    1. Coarse sanding mode for rapid material removal or polishing
    2. Fine sanding mode
    3. Random orbital mode
- Healthy, efficient dust extraction with the Jetstream principle
- FastFix sanding pad system, tool-less
- Compact, lightweight and handy for non-tiring work
- Eccentric motion for high-quality, scratch-free surfaces
- Sanding up to the edge thanks to the Festool PROTECTOR


E & OE | Prices are subject to change without notice | Copyright - All Rights Reserved

**Colorex Ltd**
7 Fitzherbert St, Petone, Wellington 5012
PO Box 38 453, Wellington Mail Centre 5045
Phone: 04 587 0400, Email: sales@colorex.co.nz
***www.colorex.co.nz***

- Ideal ergonomic grip positions
- ROTEX rotary motion for efficient material removal
- Comes with edge protector – easy edge sanding with no kickback

### Main Applications

- Sanding off old paint and varnish
- Sanding wooden materials
- Renovation work such as sanding steps
- Preliminary and coarse sanding of repair compound
- Hologram-free polishing
- Working on vertical surfaces

## Specifications

| | |
|---|---|
| **Eccentric Rotary Speed** | 3000 - 6000 rpm |
| **Sanding Stroke** | 4mm |
| **Sanding Pad Diameter** | 125mm |
| **Power Consumption** | 500w |
| **Weight** | 1.9kg |
| **Dust Extraction Diameter** | 27mm |
| **Motor Type** | Brushed |

## What's Included

| Qty | Description |
|---|---|
| 1 | Festool RO 125 Sander |
| 1 | FastFix Sanding Pad 125mm |
| 1 | Granat Sanding Disc P120 |
| 1 | Systainer SYS3 M 187 |
| 1 | Plug It Cable |
| 1 | Sanding Pad Protector |


E & OE | Prices are subject to change without notice | Copyright - All Rights Reserved

**Colorex Ltd**
7 Fitzherbert St, Petone, Wellington 5012
PO Box 38 453, Wellington Mail Centre 5045
Phone: 04 587 0400, Email: sales@colorex.co.nz
***www.colorex.co.nz***

## Compatible items (purchased separately)



**Cable (Heavy Duty)**
**Festool Heavy Duty Plug It Cable 4m**



**Cable**
**Festool Plug It Cable 4m**



**Backing Pad**
**Festool 125mm ROTEX Soft High Temp Backing Pad**



E & OE | Prices are subject to change without notice | Copyright - All Rights Reserved